

FR_704273

EC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Name and address of the applicant

Name and address of the manufacturer

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Trademark (if any)

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

As shown in the Test Report Ref. No. which forms part of this Certificate

Adaptor

LEGRAND FRANCE

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY

87045 LIMOGES CEDEX

FRANCE

NINGBO BANMEN ELECTRIC APPLIANCE CO., LTD

East Industrial Zone, Guanhaiwei Cixi City

315314 ZHEJIANG PROVINCE

CHINA

NINGBO BANMEN ELECTRIC APPLIANCE CO., LTD

East Industrial Zone, Guanhaiwei Cixi City 315314 ZHEJIANG PROVINCE

CHINA

☐ Additional Information on page 2

16 A, 250 V~, Max. 3680 W See Annex

L7 legrand*

Type: HE25

References: 0 506 62, 0 506 63

□ Additional Information on page 2

IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013

IEC 60884-2-5:2017

LCI-18SE1947ATSHS

This CB Test Certificate is issued by the National Certification Body



LCIE - Laboratoire Central des Industries Electriques 33, avenue du Général Leclerc - BP8 FR 92 266 Fontenay aux Roses Cedex www.lcie.fr

Date: 07/11/2018



Signature: Jean-François BRUEL Certification Officer



ANNEX

Product References:

| Type reference | Reference on packaging | Colour of enclosure |
|----------------|------------------------|---------------------|
| HE25 | 0 506 62 | white |
| | 0 506 63 | transparent |

Ratings and main characteristics:

| Standard Sheet: (CEE7) | III (socket-outlet) / IV (plug) | |
|---|---------------------------------|--|
| Rated current | 16 A | |
| Rated voltage (v) | 250 V ~ | |
| Degree of protection | Ordinary | |
| Provision for earthing | With earthing contact | |
| Socket-outlets | | |
| Multiple socket-outlets | outlets 3 | |
| Number of socket-outlets | 3 | |
| Degree of protection against electric shock | Normal protection | |
| Existence of shutters | With shutters | |
| Method of application - mounting | Portable type | |
| Plugs: | | |
| Class of equipment | T | |

For more information relating to the ratings and the main characteristics please refer to the CB Test Report: LCI-18SE1947ATSHS



LCIE – Laboratoire Central des Industries Electriques 33, avenue du Général Leclerc – BP8 FR 92 266 Fontenay aux Roses Cedex www.lcie.fr

Date: 07/11/2018



Signature: Jean-François BRUEL
Certification Officer