

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Fixed socket-outlet

Name and address of the applicant

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX
FRANCE

Name and address of the manufacturer

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX
FRANCE

Name and address of the factory

See Annex

Note: When more than one factory, please report on page 2

☒ Additional Information on page 2

Ratings and principal characteristics

16A, 250V~

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

Series : MOSAIC
References : See Annex

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC FR_705591 dated 29/04/2019 : Technical modification

☒ Additional Information on page 2


A sample of the product was tested and found to be in conformity with

IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013

As shown in the Test Report Ref. No. which forms part of this Certificate

158526-730187B and reports listed in annex

This CB Test Certificate is issued by the National Certification Body

LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr

Date: 15/05/2019

Signature: **Jean-Francois BRUEL**
Certification Officer

ANNEX

Name and address of the factories:**LEGRAND FRANCE**

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX – FRANCE

LEGRAND FRANCE SILLE LE GUILLAUME

ZONE INDUSTRIELLE, ROUTE D'EVRON, BP36
72140 SILLE LE GUILLAUME - FRANCE

LEGRAND FRANCE ISERE

Place du Breuil
38680 PONT EN ROYANS - FRANCE

LEGRAND MAGYARORSZAG VILLAMOSSAGI RENDSZEREK ZRT

IPARTELEPI UT 14 PF 10
6600 SZENTES - HUNGARY

NP PLASTIC HUNGARIA


IPARIS PARK 07/6
5440 KUNSZENMARTON - HUNGARY

PLASTIVALOIRE

ZI Nord
37130 LANGEAIS - FRANCE



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 15/05/2019

Signature: **Jean-François BRUEL**
Certification Officer

ANNEX (Continued)

Other relevant documents part of this certificate:

LCIE Test Reports No.: 60048013-548589, 60055255-555653/A1, 140943-683668A, 60051549-552343/A1, 60021487-514363B, 158526-730187G, 130899-663536Cr2016-10-05, 140943-683665A, 60051320-552098/A1, 60051320-552296A/A1, 80640-569801/A1, 140943-683663

REFERENCES - MAIN CHARACTERISTICS

Mechanisms


Type Reference	Number of sockets				Terminals	Colour of cover	specificity
	1	2	3	4			
-	0 772 14				st	Red	tamperproof
E21		0 772 52	0 772 53	0 772 54	slt	White	for trunking angle 45°
		0 793 72	0 793 73		slt	Black	for trunking angle 45°
		0 772 72	0 772 73	0 772 74	slt	Red	for trunking angle 45° Grey push terminal
		0 772 81	0 772 82	0 772 83	slt	Red	for trunking angle 45° tamperproof
		0 772 90			slt	White	for trunking angle 45° for pilot light
		0 772 91			slt	Red	for trunking angle 45° for pilot light
		0 772 92			slt	Red	for trunking angle 45° tamperproof for pilot light
		0 792 82	0 792 83		slt	Aluminium	for trunking angle 45°
E20		0 772 02	0 772 03		slt	White	for trunking with Soluclip
		0 772 22	0 772 23		slt	Red	for trunking with Soluclip tamperproof
		0 772 32	0 772 33		slt	Black	for trunking with Soluclip
		0 772 42	0 772 43		slt	Red	for trunking with Soluclip
	0 774 01	0 774 02	0 774 03	0 774 04	slt	White	for trunking
	0 774 11	0 774 12	0 774 13	0 774 14	slt	Red	for trunking
	0 774 21	0 774 22	0 774 23	0 774 24	slt	Red	for trunking tamperproof
	0 774 31	0 774 32	0 774 33	0 774 34	slt	White	for trunking with frame cv65
	0 774 51	0 774 52	0 774 53	0 774 54	slt	Red	for trunking with frame cv65 tamperproof
	0 774 61	0 774 62	0 774 63	0 774 64	slt	White	for trunking with frame cv85
	0 774 81	0 774 82	0 774 83	0 774 84	slt	Red	for trunking with frame cv85 tamperproof
	0 776 01	0 776 02	0 776 03	0 776 04	st	White	for trunking
	0 776 11	0 776 12	0 776 13	0 776 14	st	Red	for trunking
	0 776 21	0 776 22	0 776 23	0 776 24	st	Red	for trunking tamperproof
LXX09	0 772 71				slt	White	with USB type C
	0 793 71				slt	Aluminium	With USB type C

st : screw-type terminals

slt : screwless terminals



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 15/05/2019

Signature: **Jean-François BRUEL**
Certification Officer

ANNEX (Continued)

Characteristics

Standard sheet	III CEE7 (2P+E)
Rated current(A)	16A 250V
Degree of protection	IP20 IP44 with cover plates 0 788 80 and plates 0 897 --
Provision of earthing	with earthing contact
Method of connecting	Rewirable
Type of terminals	Screwless type (rigid and flexible)
Degree of protection against electric shock	normal protection
Existence of shutter	with shutters
Method of mounting	surface type with surface box flush-type floor-type with plates 0 897 -
Method of installation	design A design B with plates 0 897 -

Component	Model	Manufacturer	Conformity
USB type C	LXX09	LEGRAND	TR LCIE 158526-730181

ACCESSORIES

Blanks

References	Number of modules	Colour
0 770 70	1	white
0 792 70	1	aluminium
0 787 20	1	white antibacterial
0 770 71	2	white
0 791 81	2	anthracite
0 792 80	2	aluminium
0 787 21	2	white antibacterial
4 129 52	2	grey

Pilot light


References	Voltage	Specificity
0 676 63	230V	Indicator green
0 676 64	230V	Indicator white

Frames - Between axes: 71mm, with screw

References	Number of gang or modules	Specificity
0 802 51	1 gang	
0 802 09	1 gang	sold by 100
0 802 60	1 gang	for illumination under frame
0 802 62	1 gang	for indicator under frame
0 802 59	3 modules	
0 802 52	2 gangs	
0 802 58	2 gangs	horizontal for illumination under frame
0 802 57	2 gangs	vertical for illumination under frame
0 802 53	3 gangs	
0 802 54	4 gangs	
0 802 64	2 x 2 gangs	
0 802 66	2 x 3 gangs	
0 802 68	2 x 10 modules	



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 15/05/2019

Signature: **Jean-François BRUEL**
Certification Officer

ANNEX (Continued)

Frames - Between axes: 71mm, with claws

References	Number of gang or module	Specificity
0 802 61	1 gang	
0 802 69	1 gang	long claws

Frames - Between axes: Italy

References	Number of gang or modules
0 802 13	3 modules
0 802 14	4 modules
0 802 16	6 modules
0 802 93	3 modules CHILI

Frame DLP

References	Number of gang or modules	Specificity
0 109 21	2 modules	cv 65
0 109 41	4 modules	
0 109 61	6 modules	
0 109 81	8 modules	cv 85
0 109 22	2 modules	
0 109 42	4 modules	
0 109 62	6 modules	
0 109 82	8 modules	

Blanks

References	Number of gang or modules
0 791 04	2 gangs
0 791 06	3 gangs
0 791 10	4 gangs

Thin walls


References	Number of gang or modules	Colour
0 802 91	2 modules	white
0 802 95	2 modules	aluminium

Modulars

References	Number of gang or modules	Colour	Specificity
0 788 40	2 modules	white	cover for modular
0 801 29	2 modules	white	DIN rail for modular
0 802 99	2 modules	white	modular support
4 129 50	2 modules	white	modular support



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 15/05/2019

Signature: **Jean-François BRUEL**
Certification Officer

ANNEX (Continued)

Kit box + frame + plate

References	Number of gang or modules	Colour
0 788 72	2 x 4 modules	white
0 788 73	3 x 4 modules	white
0 788 74	4 x 4 modules	white
0 790 72	2 x 4 modules	aluminium
0 790 73	3 x 4 modules	aluminium
0 790 74	4 x 4 modules	aluminium

Kit surface box + frame + plate

References	Number of gang or modules	Colour
0 788 82	2 x 4 modules	white
0 788 83	3 x 4 modules	white
0 788 84	4 x 4 modules	white
0 790 82	2 x 4 modules	aluminium
0 790 83	3 x 4 modules	aluminium
0 790 84	4 x 4 modules	aluminium

Boxes for surface mounting


References	Number of gang or modules	Specificity
0 802 80	1 gang	Depth 30mm
0 802 81	1 gang	Depth 40mm
0 802 82	2 gangs	vertical
0 802 83	3 gangs	vertical
0 802 84	4 gangs	
0 802 85	2 gangs	horizontal
0 802 86	3 gangs	horizontal
0 802 89	3 modules	
0 802 74	2 x 2 gangs	
0 802 76	2 x 3 gangs	
0 802 78	2 x 10 modules	

Plates for floor recessed type

References	Designation
0 897 00	Square plate to be equipped, 1 gang inox - IP44 IK08
0 897 01	Round plate to be equipped, 1 gang inox - IP44 IK08
0 897 10	Square plate to be equipped, 1 gang bronze - IP44 IK08
0 897 11	Round plate to be equipped, 1 gang bronze - IP44 IK08
0 897 02	Rectangle plate to be equipped, 2 gang inox - IP44 IK08
0 897 12	Rectangle plate to be equipped, 2 gang bronze - IP44 IK08



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 15/05/2019

Signature: **Jean-François BRUEL**
Certification Officer


ANNEX (Continued)

Cover plates - Between axes: 71mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 02	1 gang 2 modules	white	sold by 100	0 802 51, 0 802 60, 0 802 61, 0 802 62, 0 802 69
0 788 99		white		
0 790 02		aluminium Z		
0 787 22		white antibacterial		
0 793 02		aluminium		
0 790 42		anthracite		
0 788 03	3 modules	white		0 802 59
0 790 03		aluminium Z		
0 793 03		aluminium		
0 788 04	2 x 2 modules	white	horizontal	0 802 52, 0 802 58
0 787 25		white antibacterial		
0 793 04		aluminium		
0 790 44		anthracite		
0 788 22	2 x 2 modules	white	vertical	0 802 52, 0 802 57
0 787 23		white antibacterial		
0 793 22		aluminium		
0 790 62		anthracite		
0 788 14	4 modules	white	horizontal	0 802 52, 0 802 58
0 790 14		aluminium Z		
0 787 24		white antibactéria		
0 793 14		aluminium		
0 790 54		anthracite		
0 788 25	5 modules	white	vertical	0 802 52, 0 802 57
0 790 25		aluminium Z		
0 793 25		aluminium		
0 788 15	5 modules	white	horizontal	0 802 52, 0 802 58
0 793 15		aluminium		
0 788 06	3 x 2 modules	white	horizontal	0 802 53
0 793 06		aluminium		
0 790 46		anthracite		
0 788 23	3 x 2 modules	white	vertical	0 802 53
0 790 23		aluminium Z		
0 793 23		aluminium		
0 788 16	6 modules	white		0 802 53
0 790 16		aluminium Z		
0 787 26		white antibacterial		
0 793 16		aluminium		
0 790 56	8 modules	anthracite		0 802 53
0 788 18		white		
0 790 18		aluminium Z		
0 793 18		aluminium		
0 790 58		anthracite		



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 15/05/2019

Signature: **Jean-François BRUEL**
Certification Officer

ANNEX (end)

Cover plates - Between axes: 71mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 38	2 x 2 x 2 modules	white		0 802 64
0 790 38		aluminium Z		
0 793 38		aluminium		
0 788 30	2 x 5 modules	white		0 802 64
0 793 30		aluminium		
0 788 32	2 x 3 x 2 modules	white		0 802 66
0 790 32		aluminium Z		
0 793 32		aluminium		
0 788 36	2 x 6 modules	white		0 802 66
0 790 36		aluminium Z		
0 793 36		aluminium		
0 790 76		anthracite		
0 788 37	2 x 8 modules	white		0 802 66
0 793 37		aluminium		
0 790 77		anthracite		
0 788 08	4 x 2 modules	white	horizontal	0 802 54
0 790 08		aluminium Z		
0 793 08		aluminium		
0 788 10	10 modules	white		0 802 54
0 790 10		aluminium Z		
0 793 10		aluminium		
0 788 28	2 x 10 modules	white		0 802 68
0 793 28		aluminium		

Cover plates - Between axes: 57mm

References	Number of gang or modules	Colour	Specificity	Frame
0 788 54	2 x 2 modules	white	vertical	0 802 51, 0 802 61
0 793 54		aluminium		
0 788 64	2 x 2 modules	white	horizontal	0 802 51, 0 802 61, 0 802 14
0 793 64		aluminium		
0 788 56	3 x 2 modules	white	vertical	0 802 51, 0 802 61
0 788 66	3 x 2 modules	white	horizontal	0 802 51, 0 802 61, 0 802 16

Cover plates - Between axes: Italy


References	Number of gang or modules	Colour	Specificity	Frame
0 788 91	1 module	White		0 802 13, 0 802 93
0 788 92	2 modules	White	centred	0 802 13, 0 802 94
0 788 93	3 modules	White	vertical	0 802 13, 0 802 95
0 788 94	2 modules	White	separated	0 802 13, 0 802 96
0 788 90		White	blank	0 802 13, 0 802 97

Cover -IP 44

References	Number of gang or modules	Colour	Specificity	Frame
0 788 80	2 modules	white antibacterial	IP44	0 802 51, 0 802 61



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 15/05/2019

Signature: **Jean-François BRUEL**
Certification Officer